

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		mpls and and (tdm or tdma) and pcm and @ad<"20021227" and 370/220-240.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:27
		mpls and (packet adj (switch\$5) adj network) and and tdm 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:53
L2	43	(circuit and packet) adj switch\$3 and (tdm or tdma) and pcm with (time near3 slot) and @ad<"20021227" and "370"/\$.ccls. and pcm	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/26 07:44
L3	1	09/772946.app.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/26 08:08
S1	27	mpls and (inner or outer) near4 label and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 13:25
S2	0	mpls and (inner or outer) near4 label and @ad<"20021227" and remov\$7 near3 outer near3 label \$3	US-PGPUB; USPAT	OR	ON	2008/11/26 13:26
S3	16	mpls and (inner or outer) near4 label and @ad<"20021227" and remove\$3	US-PGPUB; USPAT	OR	ON	2008/11/26 13:26
S4	2	slot\$3 with frame\$3 and mpls and (inner or outer) near3 label and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 13:29
S5	11	(adjust\$7 or vari\$5 or change) with slot\$3 with frame\$3 and (mpls or (label near3 switch)) and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 13:33
S6	0	mpls and (inner or outer) near4 label and @ad<"20021227" and pcm with address\$7	US-PGPUB; USPAT	OR	ON	2008/11/26 14:07
S7	2	mpls and @ad<"20021227" and pcm with address\$7	US-PGPUB; USPAT	OR	ON	2008/11/26 14:07
S8	79	mpls and @ad<"20021227" and pcm	US-PGPUB; USPAT	OR	ON	2008/11/26 14:14

S9	4	inner near3 mpls near3 label and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:20
S10	328	mpls near3 label with frame\$3 and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:21
S11	176	mpls near3 label with frame\$3 and identif\$7 with path\$3 and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:23
S12	77	mpls.ti. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:31
S13	47	mpls.ti. and @ad<"20021227" and label\$3 and switch\$3 and path\$3 and address	US-PGPUB; USPAT	OR	ON	2008/11/26 14:38
S14	7410	mpls and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:39
S15	1680	(ex\$change\$3 or change\$3 or switch\$3 or replace\$3) with address\$3 with label\$3	US-PGPUB; USPAT	OR	ON	2008/11/26 14:40
S16	381	(ex\$change\$3 or change\$3 or switch\$3 or replace\$3) near3 address\$3 near3 label\$3	US-PGPUB; USPAT	OR	ON	2008/11/26 14:40
S17	288	(ex\$change\$3 or change\$3 or switch\$3 or replace\$3) near3 address\$3 near3 label\$3 and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:40
S18	9	(ex\$change\$3 or change\$3 or switch\$3 or replace\$3) near3 address\$3 near3 label\$3 and @ad<"20021227" and tdm and mpls	US-PGPUB; USPAT	OR	ON	2008/11/26 14:41
S19	272	(ex\$change\$3 or change\$3 or switch\$3 or replace\$3) near3 address\$3 near3 label\$3 and label\$3 and switch\$3 and path\$3 and address	US-PGPUB; USPAT	OR	ON	2008/11/26 14:42
S20	218	(ex\$change\$3 or change\$3 or switch\$3 or replace\$3) near3 address\$3 near3 label\$3 and label\$3 and switch\$3 and path\$3 and address and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:42
S21	55	(ex\$change\$3 or change\$3 or replace\$3) near3 address\$3 near3 label\$3 and label\$3 and switch\$3 and path\$3 and address and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/11/26 14:43

S22	19	(circuit near3 switch) with (packet near3 switch) with through\$3 and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 15:30
S23	0	(circuit near3 switch) with (packet near3 switch) with through\$3 and mpls and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 15:31
S24	2	(circuit near3 switch) with (packet near3 switch) with through\$3 and mpls and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 15:32
S25	2	(circuit near3 switch) with mpls and (packet near3 switch) with mpls and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 15:32
S26	13	(circuit near1 switch) with (packet near2 switch) with through\$3 and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 15:38
S27	1	(circuit near1 switch) near3 destinatio\$3 and mpls and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 15:58
S28	1	(circuit near1 switch) with mpls and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:00
S29	1	pcm with mpls and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:02
S30	5	pcm with mpls and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:03
S32	176	((circuit near1 switch) or switch) with (mpls or label\$3) and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:06
S33	11	((circuit near1 switch) or switch) with (mpls or label\$3) with (conver\$3 or change\$3) and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:09
S34	0	(circuit near1 switch) with (label \$3) with (conver\$3 or change \$3) and 370/351,352,356.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:11
S35	0	(circuit near1 switch) with (label \$3) with (conver\$3 or change \$3) and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:12

S36	40	(circuit near1 switch) same (mpls or label\$3) same (conver\$3 or change\$3) and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:12
S38	198	(circuit near1 switch\$3) with (packet\$3 near1 switch\$3) with (conver\$3 or change\$3) and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/05 16:17
S39	79	(circuit near1 switch\$3) with (packet\$3 near1 switch\$3) with (conver\$3 or change\$3) and @ad<"20021227" and 370/351,352,356.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/05 16:17
S40	5	(circuit near1 switch\$3) with (packet\$3 near1 switch\$3) with (conver\$3 or change\$3) and @ad<"20021227" and 370/351,352,356.ccls. and label	US-PGPUB; USPAT	OR	ON	2008/12/05 16:18
S41	1	(circuit near1 switch\$3) with (packet\$3 near1 switch\$3) with (conver\$3 or change\$3) and @ad<"20021227" and 370/351,352,356.ccls. and mpls	US-PGPUB; USPAT	OR	ON	2008/12/05 16:18
S43	0	mpls and (inner or outer) near4 label and 379/90.01,93.01,93.09.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/08 08:19
S44	4	(circuit near1 switch\$3) same (packet\$3 near1 switch\$3) same (conver\$3 or change\$3) and 379/90.01,93.01,93.09.ccls. and @ad<"20021227"	US-PGPUB; USPAT	OR	ON	2008/12/08 08:19
S45	1	((terje near3 molaestad) or (per near3 heimdal) or (halvard near3 njolstad) or (berner near3 vegge)).in. and (packet and circuit and switched).clm.	US-PGPUB; USPAT	OR	ON	2008/12/08 08:23
S46	813	mpls and 370/229-240.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:44
S47	339	mpls and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:44
S48	3	mpls and 370/229-240.ccls. and @ad<"20021227" and tdm and pcm	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:45
S49	24	mpls and 370/351-430.ccls. and @ad<"20021227" and tdm and pcm	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:45

S50	4	mpls with (inner or outer) and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:45
S51	7	label with (inner or outer) and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:48
S52	6	label with (inner or outer) and mpls and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:48
S53	27	remove with label and mpls and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:50
S54	60	mpls and (packet adj (switch\$5) adj network)and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:53
S55	7	mpls and (packet adj (switch\$5) adj network) and tdm and 370/229-240.ccls. and @ad<"20021227"	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 09:54
S56	1	"7088679".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 10:06
S57	0	11/11293204.app.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 10:39
S58	0	11/293204.app.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 10:39
S59	309	mpls and (circuit and packet) near3 switch\$3 and ((source or path) near3 routing)	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:24
S60	392	mpls and (circuit and packet) near3 switch\$3 and ((source or path) near3 routing or gmppls or (node near3 (index or list)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:25
S61	26	mpls and (circuit and packet) near3 switch\$3 and ((source or path) near3 routing or gmppls or (node near3 (index or list))) and @ad<"20021227" and 370/229-240.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:26

S62	96	mpls and (circuit and packet) near3 switch\$3 and ((source or path) near3 routing or gmpls or (node near3 (index or list))) and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:26
S63	13	mpls and (circuit and packet) near3 switch\$3 and ((source or path) near3 routing or gmpls or (node near3 (index or list))) and pcm and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:27
S64	44	mpls and (circuit and packet) near3 switch\$3 and (remov\$3 or delete or (take near3 out) or cance\$3) near3 label and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:31
S65	18	mpls and (circuit and packet) near3 switch\$3 and (remov\$3 or delete or (take near3 out) or cance\$3) near3 mpls near3 label and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:31
S66	5	mpls and (circuit and packet) near3 switch\$3 and (remov\$3 or delete or (take near3 out) or cance\$3) near3 label and (insert or add or stack) with address and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:57
S67	1	mpls and (circuit and packet) near3 switch\$3 and (remov\$3 or delete or (take near3 out) or cance\$3) near3 label and (insert or add or stack) with address and @ad<"20021227" and 370/229-240.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 14:57
S68	109	mpls and (circuit and packet) near3 switch\$3 and (tdm or tdma) and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:25
S69	20	mpls and (circuit and packet) near3 switch\$3 and (tdm or tdma) and pcm and @ad<"20021227" and 370/351-430.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:25
S70	2	mpls and (circuit and packet) near3 switch\$3 and (tdm or tdma) and pcm and @ad<"20021227" and 370/220-240.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:25

S71	3	mpls and (tdm or tdma) and pcm and @ad<"20021227" and 370/220-240.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:27
S72	86	(tdm or tdma) and pcm and @ad<"20021227" and 370/220-240.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:29
S73	24	(circuit and packet) near3 switch \$3 and (tdm or tdma) and pcm and @ad<"20021227" and 370/220-240.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:29
S74	0	(circuit and packet) near3 switch \$3 and (tdm or tdma) and pcm and (encapsulat\$5 with slot) and @ad<"20021227" and 370/220-240.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:38
S75	7	(circuit and packet) near3 switch \$3 and (tdm or tdma) and pcm and (encapsulat\$5 with slot) and @ad<"20021227" and "370"/\$.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:38
S76	49	(circuit and packet) near3 switch \$3 and (tdm or tdma) and pcm with (time near3 slot) and @ad<"20021227" and "370"/\$.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 15:41
S77	0	((digital near3 receiver near3 technology) or drt).as.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 16:03
S78	43	(circuit and packet) adj switch\$3 and (tdm or tdma) and pcm with (time near3 slot) and @ad<"20021227" and "370"/\$.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 16:26
S79	18	(circuit and packet) adj switch\$3 and (exchange or conver\$5) with (tdm or tdma) with pcm and @ad<"20021227" and "370"/\$.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 16:41
S80	5	(circuit and packet) adj switch\$3 with (exchange or conver\$5) with (tdm or tdma) and @ad<"20021227" and "370"/\$.ccls.	US- PGPUB; USPAT; USOCR	OR	ON	2009/05/20 16:45

5/ 26/ 2009 8:37:24 AM

C:\Documents and Settings\fnng\My Documents\EAST\Workspaces\10540353.wsp